

# **FILE COPY**

# **TestAmerica**

THE LEADER IN ENVIRONMENTAL TESTING

# ANALYTICAL REPORT

TestAmerica Laboratories, Inc. TestAmerica Buffalo 10 Hazelwood Drive Amherst, NY 14228-2298 Tel: (716)691-2600

TestAmerica Job ID: 480-38147-1

Client Project/Site: Olin Chemical Groundwater Semi-annual

Sampling Event: Groundwater Semi-annaul (5,11)

For:

Olin Corporation PO BOX 248 Charleston, Tennessee 37310-0248

Attn: Mr. James Cashwell

Fise Shope

Authorized for release by: 5/24/2013 10:07:31 AM

Lisa Shaffer, Project Manager I lisa.shaffer@testamericainc.com

Designee for

Becky Mason, Project Manager II becky.mason@testamericainc.com



6107130016.01.10

2 Q 13 Shiry Wall Cap

VTL

CHECKED FOR COMPLETENESS OF PARAMETERS ORDERED BY:

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

4

6

8

9

12

ঠ

# **Table of Contents**

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Detection Summary	6
Client Sample Results	7
QC Sample Results	9
QC Association Summary	12
Lab Chronicle	14
Certification Summary	15
Method Summary	16
Sample Summary	17
Receipt Checklists	18
Chain of Custody	19

4

0

9

11

12

13

# **Definitions/Glossary**

Client: Olin Corporation

Project/Site: Olin Chemical Groundwater Semi-annual

TestAmerica Job ID: 480-38147-1

#### **Qualifiers**

#### **Metals**

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

#### **General Chemistry**

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not
	applicable.

#### **Glossary**

RPD

TEF

TEQ

Abbreviation	These commonly used abbreviations may or may not be present in this report.
ī	Listed under the "D" column to designate that the result is reported on a dry weight basis
6R	Percent Recovery
CNF	Contains no Free Liquid
ER	Duplicate error ratio (normalized absolute difference)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
/IDA	Minimum detectable activity
DL	Estimated Detection Limit
MDC	Minimum detectable concentration
<b>IDL</b>	Method Detection Limit
ΛL	Minimum Level (Dioxin)
<b>I</b> D	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)

Relative Percent Difference, a measure of the relative difference between two points

Toxicity Equivalent Factor (Dioxin)

Toxicity Equivalent Quotient (Dioxin)

TestAmerica Buffalo

#### **Case Narrative**

Client: Olin Corporation

Project/Site: Olin Chemical Groundwater Semi-annual

TestAmerica Job ID: 480-38147-1

Job ID: 480-38147-1

**Laboratory: TestAmerica Buffalo** 

Narrative

Job Narrative 480-38147-1

#### Comments

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

TestAmerica's Reporting Limits (RLs) for this report may not always meet client specified method reporting limits due to various reasons such as methodology, dilutions, matrix or moisture content (soils). TestAmerica's pivot table EDD documents which compound(s) exceed certain regulatory standards. If not included with your deliverables, please contact your Project Manager about the availability of this EDD for your report.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

#### Receipt

The samples were received on 5/11/2013 6:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 5.0° C.

Note: All samples that require thermal preservation are considered acceptable if the arrival temperature is within the method's specified temperature range or for general analysis, ranging from 6°C to just above the freezing temperature of water. Samples that are hand delivered, immediately following collection, may not meet these criteria; however, they will be considered acceptable according to NELAC and State standards, if there is evidence that the chilling process has begun, such as stored and transported to the laboratory on ice.

#### **HPLC**

Method(s) 300.0: The following samples were diluted to bring the concentration of target analytes within the calibration range: OC-GW-43SR-XXX (480-38147-4). Elevated reporting limits (RLs) are provided.

No other analytical or quality issues were noted.

#### Metals

At the request of the client, an abbreviated/modified MCP analyte list was reported for this job.

No other analytical or quality issues were noted.

#### **General Chemistry**

No analytical or quality issues were noted.

3

4

6

8

9

11

		Mass	DEP Analy	tical	Protocol Certif	fication Form				
Labor	atory Name:	TestAmeri	ca Buffalo		Project #:		480-3814	17		
Proje	ct Location:	Olin Chemical G	SW Semi-Annu	ıal	RTN:					
This f	orm provide	s certifications for	the following	data	set: list Laborato	ry Sample ID Num	ber(s):			
38147								<u> </u>		
Matric	es: X	Groundwater/Surfa	ce Water		Soil/Sediment	Drinking Water	Air	☐ Oth	ner:	
		check all that ap				· · · · · · · · · · · · · · · · · · ·				
8260 \	'	7470/7471 Hg	Mass DEP VP	H.	8081 Pesticides	7196 Hex Cr		Mass DEF		
CAM I 8270 S		CAM III B	CAM IV A Mass DEP EP	<u> </u>	CAM V B 4 8151 Herbicides	CAM VI B 8330 Explosives		CAM IX A		
CAM II B CAM III C CAM IV B CAM V C CAM VIII A C										
9014 Total 6010 Metals 6020 Metals 8082 PCB Cyanide/PAC 6860 Perchlorate CAM III A   CAM III D CAM V A CAM VI A CAM VIII B CAM VIII										
	Affirmative	Responses to Que	stions A thro	ugh I	are required for '	'Presumptive Cer	tainty" sta	atus		
A	Were all samples received in a condition consistent with those described on the Chain-of-Custody,								☐ No	
В	Were the analytical method(s) and all associated QC requirements specified in the selected CAM protocol(s) followed?								☐ No	
С	Were all requered	ed CAM	XYes	☐ No						
D	Does the lab "Quality Ass Data"?		X Yes	☐ No						
E	modification	(s)? (Refer to the inc	dividual method	d(s) fo	ethod conducted with or a list of significan e analyte list reporte	t modifications).	?	☐ Yes ☐ Yes	No No	
F					nce standard non-c " responses to Que			XYes	□ No	
	Respon	ses to Questions (	3, H and I belo	w ar	e required for "Pre	sumptive Certain	ty" status	5		
G	protocol(s)?				ing limits specified in			X Yes	□ No¹	
					" status may not ned 1056 (2)(k) and WCS		data usabii	lity and		
Н	1				e CAM protocol(s) a			X Yes	No <sup>1</sup>	
<del>                                     </del>					specified in the selec		s) ?	Yes	X No <sup>1</sup>	
<sup>1</sup> All n	<u> </u>				d laboratory narrativ		<u> </u>	1		
obtair		nation, the material			perjury that, based u alytical report is, to t				nsible for	
Signa	ture:	Jisa S	NOTO		Position	:P	roject Mar	nager		
Printe	ed Name:	Lisa :	Shaffer		_ Date	·	5/24/13 0	):00		

Client: Olin Corporation

Project/Site: Olin Chemical Groundwater Semi-annual

TestAmerica Job ID: 480-38147-1

Client Sample ID: OC-MP-2PORT13-XXX

Lab Sample ID: 480-38147-	_
	1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	21		5.0	1.0	ug/L	1	_	6010	Dissolved
Aluminum	120	J	200	60	ug/L	1		6010	Dissolved
Chloride	87		0.50	0.28	mg/L	1		300.0	Total/NA
Sulfate	22		2.0	0.35	mg/L	1		300.0	Total/NA
Ammonia	0.20		0.020	0.0090	mg/L	1		350.1	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Specific Conductance	400		1.0	1.0	umhos/cm	1	_	SM 2510B	Total/NA

#### Client Sample ID: OC-GW-34D-XXX

#### Lab Sample ID: 480-38147-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	12		5.0	1.0	ug/L	1	_	6010	Dissolved
Chloride	12		0.50	0.28	mg/L	1		300.0	Total/NA
Sulfate	35		2.0	0.35	mg/L	1		300.0	Total/NA
Ammonia	14		0.20	0.090	mg/L	10		350.1	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Specific Conductance	210		1.0	1.0	umhos/cm	1		SM 2510B	Total/NA

#### Client Sample ID: OC-GW-34SR-XXX

## Lab Sample ID: 480-38147-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	1.9	J	5.0	1.0	ug/L	1		6010	Dissolved
Chloride	2.2		0.50	0.28	mg/L	1		300.0	Total/NA
Sulfate	7.8		2.0	0.35	mg/L	1		300.0	Total/NA
Ammonia	0.15		0.020	0.0090	mg/L	1		350.1	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Specific Conductance	64		1.0	1.0	umhos/cm	1	_	SM 2510B	Total/NA

#### Client Sample ID: OC-GW-43SR-XXX

#### Lab Sample ID: 480-38147-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chromium	1.6	J	5.0	1.0	ug/L	1		6010	Dissolved
Aluminum	350		200	60	ug/L	1		6010	Dissolved
Chloride	270		2.5	1.4	mg/L	5		300.0	Total/NA
Sulfate	34		2.0	0.35	mg/L	1		300.0	Total/NA
Ammonia	1.8		0.020	0.0090	mg/L	1		350.1	Total/NA
Analyte	Result	Qualifier	RL	RL	Unit	Dil Fac	D	Method	Prep Type
Specific Conductance	990		1.0	1.0	umhos/cm	1	_	SM 2510B	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Buffalo

4

J

9

1 4

## **Client Sample Results**

Client: Olin Corporation

Project/Site: Olin Chemical Groundwater Semi-annual

TestAmerica Job ID: 480-38147-1

Lab Sample ID: 480-38147-1

Client Sample ID: OC-MP-2PORT13-XXX Date Collected: 05/09/13 10:10 Matrix: Water

Date Received: 05/11/13 06:00

Method: 6010 - Metals (ICP) - Dissolved									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	21		5.0	1.0	ug/L		05/13/13 07:45	05/13/13 18:55	1
Aluminum	120	J	200	60	ug/L		05/13/13 07:45	05/13/13 18:55	1

General Chemistry Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	87		0.50	0.28	mg/L			05/14/13 16:44	1
Sulfate	22		2.0	0.35	mg/L			05/14/13 16:44	1
Ammonia	0.20		0.020	0.0090	mg/L			05/13/13 17:00	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Specific Conductance	400		1.0	1.0	umhos/cm			05/16/13 02:30	1

Client Sample ID: OC-GW-34D-XXX Lab Sample ID: 480-38147-2 Date Collected: 05/09/13 12:20 **Matrix: Ground Water** 

Date Received: 05/11/13 06:00

Method: 6010 - Metals (ICP) - Disso	lved							
Analyte	Result Qu	ualifier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	12	5.0	1.0	ug/L		05/13/13 07:45	05/13/13 18:57	1
Aluminum	ND	200	60	ug/L		05/13/13 07:45	05/13/13 18:57	1
<del></del>								

General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	12		0.50	0.28	mg/L			05/14/13 16:54	1
Sulfate	35		2.0	0.35	mg/L			05/14/13 16:54	1
Ammonia	14		0.20	0.090	mg/L			05/13/13 18:40	10
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Specific Conductance	210		1.0	1.0	umhos/cm			05/16/13 02:30	1

Lab Sample ID: 480-38147-3 Client Sample ID: OC-GW-34SR-XXX

Date Collected: 05/09/13 11:05 **Matrix: Ground Water** Date Received: 05/11/13 06:00

Method: 6010 - Metals (ICP) - Dissolved									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	1.9	J	5.0	1.0	ug/L		05/13/13 07:45	05/13/13 19:13	1
Aluminum	ND		200	60	ug/L		05/13/13 07:45	05/13/13 19:13	1
General Chemistry	D14	O life	DI.	MDI	11		D	Austral	Dil Faa

General Chemistry										
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	2.2		0.50	0.28	mg/L			05/14/13 17:24	1	
Sulfate	7.8		2.0	0.35	mg/L			05/14/13 17:24	1	
Ammonia	0.15		0.020	0.0090	mg/L			05/13/13 17:03	1	
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Specific Conductance	64		1.0	1.0	umhos/cm			05/16/13 02:30	1	

# **Client Sample Results**

Client: Olin Corporation

Project/Site: Olin Chemical Groundwater Semi-annual

Lab Sample ID: 480-38147-4

TestAmerica Job ID: 480-38147-1

Client Sample ID: OC-GW-43SR-XXX Date Collected: 05/09/13 09:20 **Matrix: Ground Water** 

Date Received: 05/11/13 06:00

Method: 6010 - Metals (ICP) -	Dissolved								
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	1.6	J	5.0	1.0	ug/L		05/13/13 07:45	05/13/13 19:15	1
Aluminum	350		200	60	ug/L		05/13/13 07:45	05/13/13 19:15	1
General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	270		2.5	1.4	mg/L			05/15/13 17:01	5
Sulfate	34		2.0	0.35	mg/L			05/14/13 17:55	1
Ammonia	1.8		0.020	0.0090	mg/L			05/13/13 17:04	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Specific Conductance	990		1.0	1.0	umhos/cm			05/16/13 02:30	1

Client: Olin Corporation

Project/Site: Olin Chemical Groundwater Semi-annual

Method: 6010 - Metals (ICP)

Lab Sample ID: MB 480-117609/29-B

**Matrix: Water** 

Analysis Batch: 118442

Client Sample ID: Method Blank

**Prep Type: Dissolved** 

**Prep Batch: 118122** 

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chromium	ND		5.0	1.0	ug/L		05/13/13 07:45	05/13/13 18:48	1
Aluminum	ND		200	60	ug/L		05/13/13 07:45	05/13/13 18:48	1

мв мв

Lab Sample ID: LCS 480-117609/30-B Client Sample ID: Lab Control Sample **Matrix: Water Prep Type: Dissolved** Analysis Batch: 118442 **Prep Batch: 118122** LCS LCS Spike %Rec.

Analyte Added Result Qualifier Unit %Rec Limits Chromium 200 198 80 - 120 ug/L 99 Aluminum 10000 9920 ug/L 99 80 - 120

Lab Sample ID: LCSD 480-117609/26-B Client Sample ID: Lab Control Sample Dup **Prep Type: Dissolved** 

**Matrix: Water** 

Analysis Batch: 118442

**Prep Batch: 118122** Spike LCSD LCSD RPD %Rec. Analyte Added Result Qualifier Unit D %Rec Limits **RPD** Limit Chromium 200 199 80 - 120 ug/L 99 0 20 Aluminum 10000 80 - 120 20 9800 ug/L 98

Lab Sample ID: 480-38147-2 MS Client Sample ID: OC-GW-34D-XXX **Prep Type: Dissolved** 

**Matrix: Ground Water** 

Analysis Batch: 118442

**Prep Batch: 118122** Sample Sample Spike MS MS %Rec. Result Qualifier Added Analyte Result Qualifier %Rec Limits Unit Chromium 12 200 212 ug/L 100 75 - 125 ND 10000 9860 Aluminum ug/L 98 75 - 125

Client Sample ID: OC-GW-34D-XXX Lab Sample ID: 480-38147-2 MSD

**Matrix: Ground Water** 

١	Analysis Batch: 118442									Prep	Batch: 1	18122
ı		Sample	Sample	Spike	MSD	MSD				%Rec.		RPD
	Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
	Chromium	12		200	206		ug/L		97	75 - 125	3	20
	Aluminum	ND		10000	9550		ug/L		95	75 - 125	3	20

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 480-118283/100 Client Sample ID: Method Blank Prep Type: Total/NA

**Matrix: Water** 

Analysis Batch: 118283

_	МВ	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		0.50	0.28	mg/L			05/14/13 16:03	1
Sulfate	ND		2.0	0.35	mg/L			05/14/13 16:03	1

TestAmerica Buffalo

**Prep Type: Dissolved** 

TestAmerica Job ID: 480-38147-1

Project/Site: Olin Chemical Groundwater Semi-annual

#### Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 480-118283/99 Client Sample ID: Lab Control Sample **Matrix: Water** Prep Type: Total/NA

Analysis Batch: 118283

Client: Olin Corporation

	Spike	LUS	LUS				70Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Chloride	 20.0	19.5		mg/L		97	90 - 110	
Sulfate	20.0	19.6		mg/L		98	90 - 110	

Child

Lab Sample ID: 480-38147-2 MS Client Sample ID: OC-GW-34D-XXX Prep Type: Total/NA

**Matrix: Ground Water** Analysis Batch: 118283

	Sample	Sample	Spike	MS	MS				%Rec.	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Chloride	12		25.0	36.0		mg/L		95	90 - 110	
Sulfate	35		25.0	57.9		mg/L		93	90 - 110	

Lab Sample ID: 480-38147-2 MSD Client Sample ID: OC-GW-34D-XXX Prep Type: Total/NA

**Matrix: Ground Water** Analysis Batch: 118283

Sample Sample Spike MSD MSD %Rec. RPD Analyte Result Qualifier Added Result Qualifier Unit %Rec Limits **RPD** Limit Chloride 12 25.0 36.1 mg/L 96 90 - 110 0 20 Sulfate 25.0 35 mg/L 90 - 110 20 58.0 94 0

Lab Sample ID: MB 480-118750/4 Client Sample ID: Method Blank Prep Type: Total/NA

**Matrix: Water** 

Analysis Batch: 118750

-	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		0.50	0.28	mg/L			05/15/13 14:29	1
Sulfate	ND		2.0	0.35	mg/L			05/15/13 14:29	1

Lab Sample ID: LCS 480-118750/3 **Client Sample ID: Lab Control Sample** Prep Type: Total/NA

**Matrix: Water** 

Analysis Batch: 118750

•	Spike	LCS	LCS				%Rec.	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Chloride	 20.0	19.9		mg/L		99	90 - 110	 
Sulfate	20.0	20.9		mg/L		105	90 - 110	

#### Method: 350.1 - Nitrogen, Ammonia

Lab Sample ID: MB 480-118347/174 Client Sample ID: Method Blank Prep Type: Total/NA

**Matrix: Water** 

Analysis Batch: 118347

	МВ	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ammonia	ND		0.020	0.0090	mg/L			05/13/13 18:25	1

TestAmerica Buffalo

TestAmerica Job ID: 480-38147-1

Project/Site: Olin Chemical Groundwater Semi-annual

Method: 350.1 - Nitrogen, Ammonia (Continued)

Client Sample ID: Method Blank

Prep Type: Total/NA

мв мв

Result Qualifier RL MDL Unit Analyte D Prepared Analyzed Dil Fac 0.0090 mg/L 0.020 05/13/13 16:58 Ammonia ND

Lab Sample ID: LCS 480-118347/100 Client Sample ID: Lab Control Sample **Matrix: Water** Prep Type: Total/NA

Analysis Batch: 118347

Analysis Batch: 118347

Lab Sample ID: MB 480-118347/99

Client: Olin Corporation

**Matrix: Water** 

LCS LCS %Rec. Spike Analyte Added Result Qualifier Unit %Rec Limits Ammonia 1.00 0.986 mg/L 99 90 - 110

Lab Sample ID: LCS 480-118347/175 Client Sample ID: Lab Control Sample **Matrix: Water** Prep Type: Total/NA

Analysis Batch: 118347

Spike LCS LCS %Rec. Analyte Added Result Qualifier Unit %Rec Limits Ammonia 1.00 0.975 90 - 110 mg/L

Lab Sample ID: 480-38147-2 MS Client Sample ID: OC-GW-34D-XXX **Matrix: Ground Water** Prep Type: Total/NA

Analysis Batch: 118347

%Rec. Sample Sample Spike MS MS Analyte Result Qualifier Added Result Qualifier Unit %Rec Limits 14 2.00 15.8 Ammonia mg/L 92 54 - 150

Lab Sample ID: 480-38147-2 MSD Client Sample ID: OC-GW-34D-XXX **Matrix: Ground Water** Prep Type: Total/NA

Analysis Batch: 118347

Sample Sample Spike MSD MSD %Rec. RPD Result Qualifier Analyte Result Qualifier Added RPD Limit Unit %Rec Limits Ammonia 2.00 15.4 4 14 mg/L 69 54 - 150 20

5/24/2013

# **QC Association Summary**

Client: Olin Corporation

Project/Site: Olin Chemical Groundwater Semi-annual

TestAmerica Job ID: 480-38147-1

#### **Metals**

#### **Prep Batch: 118122**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batc
480-38147-1	OC-MP-2PORT13-XXX	Dissolved	Water	3005A	
480-38147-2	OC-GW-34D-XXX	Dissolved	<b>Ground Water</b>	3005A	
480-38147-2 MS	OC-GW-34D-XXX	Dissolved	<b>Ground Water</b>	3005A	
480-38147-2 MSD	OC-GW-34D-XXX	Dissolved	Ground Water	3005A	
480-38147-3	OC-GW-34SR-XXX	Dissolved	<b>Ground Water</b>	3005A	
480-38147-4	OC-GW-43SR-XXX	Dissolved	Ground Water	3005A	
LCS 480-117609/30-B	Lab Control Sample	Dissolved	Water	3005A	
LCSD 480-117609/26-B	Lab Control Sample Dup	Dissolved	Water	3005A	
MB 480-117609/29-B	Method Blank	Dissolved	Water	3005A	

#### Analysis Batch: 118442

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-38147-1	OC-MP-2PORT13-XXX	Dissolved	Water	6010	118122
480-38147-2	OC-GW-34D-XXX	Dissolved	Ground Water	6010	118122
480-38147-2 MS	OC-GW-34D-XXX	Dissolved	<b>Ground Water</b>	6010	118122
480-38147-2 MSD	OC-GW-34D-XXX	Dissolved	Ground Water	6010	118122
480-38147-3	OC-GW-34SR-XXX	Dissolved	Ground Water	6010	118122
480-38147-4	OC-GW-43SR-XXX	Dissolved	<b>Ground Water</b>	6010	118122
LCS 480-117609/30-B	Lab Control Sample	Dissolved	Water	6010	118122
LCSD 480-117609/26-B	Lab Control Sample Dup	Dissolved	Water	6010	118122
MB 480-117609/29-B	Method Blank	Dissolved	Water	6010	118122

#### **General Chemistry**

#### Analysis Batch: 118283

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batc
480-38147-1	OC-MP-2PORT13-XXX	Total/NA	Water	300.0	
480-38147-2	OC-GW-34D-XXX	Total/NA	<b>Ground Water</b>	300.0	
480-38147-2 MS	OC-GW-34D-XXX	Total/NA	<b>Ground Water</b>	300.0	
480-38147-2 MSD	OC-GW-34D-XXX	Total/NA	Ground Water	300.0	
480-38147-3	OC-GW-34SR-XXX	Total/NA	<b>Ground Water</b>	300.0	
480-38147-4	OC-GW-43SR-XXX	Total/NA	<b>Ground Water</b>	300.0	
LCS 480-118283/99	Lab Control Sample	Total/NA	Water	300.0	
MB 480-118283/100	Method Blank	Total/NA	Water	300.0	

#### Analysis Batch: 118347

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-38147-1	OC-MP-2PORT13-XXX	Total/NA	Water	350.1	
480-38147-2	OC-GW-34D-XXX	Total/NA	Ground Water	350.1	
480-38147-2 MS	OC-GW-34D-XXX	Total/NA	Ground Water	350.1	
480-38147-2 MSD	OC-GW-34D-XXX	Total/NA	Ground Water	350.1	
480-38147-3	OC-GW-34SR-XXX	Total/NA	Ground Water	350.1	
480-38147-4	OC-GW-43SR-XXX	Total/NA	Ground Water	350.1	
LCS 480-118347/100	Lab Control Sample	Total/NA	Water	350.1	
LCS 480-118347/175	Lab Control Sample	Total/NA	Water	350.1	
MB 480-118347/174	Method Blank	Total/NA	Water	350.1	
MB 480-118347/99	Method Blank	Total/NA	Water	350.1	

TestAmerica Buffalo

Page 12 of 19

5/24/2013

9

7

5

9

10

4.0

13

# **QC Association Summary**

Client: Olin Corporation TestAmerica Job ID: 480-38147-1

Project/Site: Olin Chemical Groundwater Semi-annual

# **General Chemistry (Continued)**

#### Analysis Batch: 118750

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-38147-4	OC-GW-43SR-XXX	Total/NA	Ground Water	300.0	
LCS 480-118750/3	Lab Control Sample	Total/NA	Water	300.0	
MB 480-118750/4	Method Blank	Total/NA	Water	300.0	

#### Analysis Batch: 118897

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-38147-1	OC-MP-2PORT13-XXX	Total/NA	Water	SM 2510B	
480-38147-2	OC-GW-34D-XXX	Total/NA	Ground Water	SM 2510B	
480-38147-3	OC-GW-34SR-XXX	Total/NA	Ground Water	SM 2510B	
480-38147-4	OC-GW-43SR-XXX	Total/NA	Ground Water	SM 2510B	
LCS 480-118897/1	Lab Control Sample	Total/NA	Water	SM 2510B	
LCS 480-118897/23	Lab Control Sample	Total/NA	Water	SM 2510B	

Lab Sample ID: 480-38147-1

Matrix: Water

**Matrix: Ground Water** 

Lab Sample ID: 480-38147-3

**Matrix: Ground Water** 

Client Sample ID: OC-MP-2PORT13-XXX

Date Collected: 05/09/13 10:10 Date Received: 05/11/13 06:00

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			118122	05/13/13 07:45	SS	TAL BUF
Dissolved	Analysis	6010		1	118442	05/13/13 18:55	AH	TAL BUF
Total/NA	Analysis	300.0		1	118283	05/14/13 16:44	KC	TAL BUF
Total/NA	Analysis	350.1		1	118347	05/13/13 17:00	SB	TAL BUF
Total/NA	Analysis	SM 2510B		1	118897	05/16/13 02:30	LK	TAL BUF

Client Sample ID: OC-GW-34D-XXX Lab Sample ID: 480-38147-2

Date Collected: 05/09/13 12:20 Date Received: 05/11/13 06:00

_	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			118122	05/13/13 07:45	SS	TAL BUF
Dissolved	Analysis	6010		1	118442	05/13/13 18:57	AH	TAL BUF
Total/NA	Analysis	300.0		1	118283	05/14/13 16:54	KC	TAL BUF
Total/NA	Analysis	350.1		10	118347	05/13/13 18:40	SB	TAL BUF
Total/NA	Analysis	SM 2510B		1	118897	05/16/13 02:30	LK	TAL BUF

Client Sample ID: OC-GW-34SR-XXX

Date Collected: 05/09/13 11:05 Date Received: 05/11/13 06:00

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			118122	05/13/13 07:45	SS	TAL BUF
Dissolved	Analysis	6010		1	118442	05/13/13 19:13	AH	TAL BUF
Total/NA	Analysis	300.0		1	118283	05/14/13 17:24	KC	TAL BUF
Total/NA	Analysis	350.1		1	118347	05/13/13 17:03	SB	TAL BUF
Total/NA	Analysis	SM 2510B		1	118897	05/16/13 02:30	LK	TAL BUF

Date Received: 05/11/13 06:00

Client Sample ID: OC-GW-43SR-XXX Lab Sample ID: 480-38147-4 Date Collected: 05/09/13 09:20 **Matrix: Ground Water** 

_	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			118122	05/13/13 07:45	SS	TAL BUF
Dissolved	Analysis	6010		1	118442	05/13/13 19:15	AH	TAL BUF
Total/NA	Analysis	300.0		1	118283	05/14/13 17:55	KC	TAL BUF
Total/NA	Analysis	350.1		1	118347	05/13/13 17:04	SB	TAL BUF
Total/NA	Analysis	300.0		5	118750	05/15/13 17:01	KAC	TAL BUF
Total/NA	Analysis	SM 2510B		1	118897	05/16/13 02:30	LK	TAL BUF

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

TestAmerica Buffalo

TestAmerica Job ID: 480-38147-1

Client: Olin Corporation Project/Site: Olin Chemical Groundwater Semi-annual

#### Laboratory: TestAmerica Buffalo

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	<b>Expiration Date</b>
Arkansas DEQ	State Program	6	88-0686	07-06-13
California	NELAP	9	1169CA	09-30-13
Connecticut	State Program	1	PH-0568	09-30-14
Florida	NELAP	4	E87672	06-30-13
Georgia	State Program	4	N/A	03-31-14
Georgia	State Program	4	956	06-30-13
Georgia	State Program	4	956	03-31-14
Ilinois	NELAP	5	200003	09-30-13
owa	State Program	7	374	03-15-15
Kansas	NELAP	7	E-10187	01-31-14
Kentucky	State Program	4	90029	12-31-13
Kentucky (UST)	State Program	4	30	04-01-14
_ouisiana	NELAP	6	02031	06-30-13
Maine	State Program	1	NY00044	12-04-13
Maryland	State Program	3	294	03-31-14
Massachusetts	State Program	1	M-NY044	06-30-13
Michigan	State Program	5	9937	04-01-13 *
Minnesota	NELAP	5	036-999-337	12-31-13
New Hampshire	NELAP	1	2973	09-11-13
New Hampshire	NELAP	1	2337	11-17-13
New Jersey	NELAP	2	NY455	06-30-13
New York	NELAP	2	10026	04-01-14
North Dakota	State Program	8	R-176	03-31-14
Oklahoma	State Program	6	9421	08-31-13
Dregon	NELAP	10	NY200003	06-09-13
Pennsylvania	NELAP	3	68-00281	07-31-13
Rhode Island	State Program	1	LAO00328	12-31-13
Fennessee	State Program	4	TN02970	04-01-14
exas	NELAP	6	T104704412-11-2	07-31-13
JSDA	Federal		P330-11-00386	11-22-14
/irginia	NELAP	3	460185	09-14-13
Vashington	State Program	10	C784	02-10-14
West Virginia DEP	State Program	3	252	09-30-13
Visconsin	State Program	5	998310390	08-31-13

4

8

10

11

13

<sup>\*</sup> Expired certification is currently pending renewal and is considered valid.

TestAmerica Buffalo

# **Method Summary**

Client: Olin Corporation

Project/Site: Olin Chemical Groundwater Semi-annual

TestAmerica Job ID: 480-38147-1

Method	Method Description	Protocol	Laboratory
6010	Metals (ICP)	SW846	TAL BUF
300.0	Anions, Ion Chromatography	MCAWW	TAL BUF
350.1	Nitrogen, Ammonia	MCAWW	TAL BUF
SM 2510B	Conductivity, Specific Conductance	SM	TAL BUF

#### Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

3

4

6

7

8

9

11

4.6

13

# **Sample Summary**

Client: Olin Corporation

Project/Site: Olin Chemical Groundwater Semi-annual

TestAmerica Job ID: 480-38147-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-38147-1	OC-MP-2PORT13-XXX	Water	05/09/13 10:10	05/11/13 06:00
480-38147-2	OC-GW-34D-XXX	Ground Water	05/09/13 12:20	05/11/13 06:00
480-38147-3	OC-GW-34SR-XXX	Ground Water	05/09/13 11:05	05/11/13 06:00
480-38147-4	OC-GW-43SR-XXX	Ground Water	05/09/13 09:20	05/11/13 06:00

2

\_

6

8

9

10

12

13

# **Login Sample Receipt Checklist**

Client: Olin Corporation Job Number: 480-38147-1

Login Number: 38147 List Source: TestAmerica Buffalo

List Number: 1 Creator: Kolb, Chris M

Radioactivity either was not measured or, if measured, is at or below background The cooler's custody seal, if present, is intact. The cooler's custody seal, if present, is intact. The cooler's custody seal, if present, is intact. True The cooler or samples do not appear to have been compromised or tampered with. Samples were received on ice. True Cooler Temperature is acceptable. True Cooler Temperature is recorded. True CoCi is present. True CoCi is present. True CoCi is filled out in ink and legible. True CoCi is filled out with all pertinent information. True Is the Field Sampler's name present on CoC? True There are no discrepancies between the sample IDs on the containers and the CoC. Samples are received within Holding Time. True Sample containers have legible labels. True Containers are not broken or leaking. True Appropriate sample containers are used. True Sample bottles are completely filled. True Sample preservation Verified True Sample preservation Verified True Mis/MSDs VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter. If necessary, staff have been informed of any short hold time or quick TAT needs Multiphasic samples are not present. True Samples do not require splitting or compositing. True Samples do not require splitting or compositing. True Samples received within 48 hours of sampling. Samples received within filed filter to the field. True	Question	Answer	Comment
The cooler or samples do not appear to have been compromised or tampered with.  Samples were received on ice.  Cooler Temperature is acceptable.  Cooler Temperature is recorded.  True  COC is present.  COC is present.  True  COC is filled out in ink and legible.  COC is filled out with all pertinent information.  Is the Field Sampler's name present on COC?  There are no discrepancies between the sample IDs on the containers and the COC.  Samples are received within Holding Time.  Sample containers have legible labels.  Containers are not broken or leaking.  Sample collection date/times are provided.  Appropriate sample containers are used.  Sample postites are completely filled.  Sample preservation Verified  Thrue  Sample Preservation Verified  Thrue is sufficient vol. for all requested analyses, incl. any requested MS/MSDs  VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Samples amples are not present.  Frue  Samples do not require splitting or compositing.  Samples on or tequire splitting or compositing.  Frue  Samples received within 48 hours of sampling.		True	
tampered with.  Samples were received on ice.  Cooler Temperature is acceptable.  Cooler Temperature is recorded.  COC is present.  COC is present.  COC is filled out in ink and legible.  COC is filled out with all pertinent information.  Is the Field Sampler's name present on COC?  True  Samples are received within Holding Time.  True  Containers have legible labels.  True  Containers are not broken or leaking.  True  Sample containers have legible labels.  True  Sample collection date/times are provided.  Appropriate sample containers are used.  True  Sample bottles are completely filled.  True  Sample Preservation Verified  True  True  Sample Preservation Verified  True  Sample valid on thave headspace or bubble is <6mm (1/4") in diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  Frue  Samples are not present.  True  Samples ontainers are used.  True  True  True  True  True  True  Samples are not present.  True  Samples ont require splitting or compositing.  True  Samples on trequire splitting or compositing.  True	The cooler's custody seal, if present, is intact.	True	
Cooler Temperature is acceptable.       True         Cooler Temperature is recorded.       True         COC is present.       True         COC is filled out in ink and legible.       True         COC is filled out with all pertinent information.       True         Is the Field Sampler's name present on COC?       True         There are no discrepancies between the sample IDs on the containers and the COC.       True         Samples are received within Holding Time.       True         Sample containers have legible labels.       True         Containers are not broken or leaking.       True         Sample collection date/times are provided.       True         Appropriate sample containers are used.       True         Sample breservation Verified       True         Sample Preservation Verified       True         There is sufficient vol. for all requested analyses, incl. any requested       True         MS/MSDs       N/A         VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.		True	
Cooler Temperature is recorded.  COC is present.  True  COC is filled out in ink and legible.  True  COC is filled out with all pertinent information.  Is the Field Sampler's name present on COC?  True  There are no discrepancies between the sample IDs on the containers and the COC.  Samples are received within Holding Time.  True  Sample containers have legible labels.  Containers are not broken or leaking.  True  Sample collection date/times are provided.  Appropriate sample containers are used.  Sample bottles are completely filled.  Sample Preservation Verified  True  Sample preservation Verified  True  There is sufficient vol. for all requested analyses, incl. any requested  MS/MSDs  VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  True  Samples do not require splitting or compositing.  True  Samples received within 48 hours of sampling.	Samples were received on ice.	True	
COC is present.  COC is filled out in ink and legible.  True  COC is filled out with all pertinent information.  Is the Field Sampler's name present on COC?  True  There are no discrepancies between the sample IDs on the containers and the COC.  Samples are received within Holding Time.  Sample containers have legible labels.  Containers are not broken or leaking.  True  Sample collection date/times are provided.  Appropriate sample containers are used.  True  Sample bottles are completely filled.  True  Sample Preservation Verified  There is sufficient vol. for all requested analyses, incl. any requested  MS/MSDs  VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  True  Samples do not require splitting or compositing.  True  Samples received within 48 hours of sampling.  True  True	Cooler Temperature is acceptable.	True	
COG is filled out in ink and legible.  COG is filled out with all pertinent information.  In true  Is the Field Sampler's name present on COC?  True  There are no discrepancies between the sample IDs on the containers and the COC.  Samples are received within Holding Time.  Samples are received within Holding Time.  Sample containers have legible labels.  Containers are not broken or leaking.  True  Sample collection date/times are provided.  Appropriate sample containers are used.  True  Sample bottles are completely filled.  True  Sample Preservation Verified  True  There is sufficient vol. for all requested analyses, incl. any requested  MS/MSDs  VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  True  Samples do not require splitting or compositing.  True  Samples received within 48 hours of sampling.	Cooler Temperature is recorded.	True	
COC is filled out with all pertinent information.  Is the Field Sampler's name present on COC?  True  There are no discrepancies between the sample IDs on the containers and the COC.  Samples are received within Holding Time.  True  Sample containers have legible labels.  True  Containers are not broken or leaking.  Sample collection date/times are provided.  Appropriate sample containers are used.  True  Appropriate sample containers are used.  True  Sample bottles are completely filled.  True  Sample Preservation Verified  True  There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs  VOA sample vials do not have headspace or bubble is <6mm (1/4") in N/A diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  True  Samples do not require splitting or compositing.  True  Samples received within 48 hours of sampling.	COC is present.	True	
Is the Field Sampler's name present on COC?  True There are no discrepancies between the sample IDs on the containers and the COC.  Samples are received within Holding Time.  True Sample containers have legible labels.  True Containers are not broken or leaking.  True Sample collection date/times are provided.  Appropriate sample containers are used.  True Appropriate sample containers are used.  True Sample bottles are completely filled.  True Sample Preservation Verified  True There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs  VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  True Samples do not require splitting or compositing.  True Samples received within 48 hours of sampling.	COC is filled out in ink and legible.	True	
There are no discrepancies between the sample IDs on the containers and the COC.  Samples are received within Holding Time.  Sample containers have legible labels.  Containers are not broken or leaking.  Sample collection date/times are provided.  Appropriate sample containers are used.  Sample bottles are completely filled.  Sample Preservation Verified  True  There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs  VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  Samples do not require splitting or compositing.  Samples foceived within 48 hours of sampling.	COC is filled out with all pertinent information.	True	
the COC.  Samples are received within Holding Time.  Sample containers have legible labels.  Containers are not broken or leaking.  Sample collection date/times are provided.  Appropriate sample containers are used.  Sample bottles are completely filled.  Sample Preservation Verified  True  Sample Preservation Verified  True  There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs  VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  Samples do not require splitting or compositing.  True  Samples Gompany provided.  True  Samples received within 48 hours of sampling.	Is the Field Sampler's name present on COC?	True	
Sample containers have legible labels.  Containers are not broken or leaking.  Sample collection date/times are provided.  Appropriate sample containers are used.  True  Appropriate sample containers are used.  True  Sample bottles are completely filled.  True  Sample Preservation Verified  True  There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs  VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  Samples do not require splitting or compositing.  True  Samples do not require splitting or compositing.  True  Sampling Company provided.  True  Samples received within 48 hours of sampling.		True	
Containers are not broken or leaking.  Sample collection date/times are provided.  Appropriate sample containers are used.  True  Sample bottles are completely filled.  True  Sample Preservation Verified  True  There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs  VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  Samples do not require splitting or compositing.  True  Samples received within 48 hours of sampling.	Samples are received within Holding Time.	True	
Sample collection date/times are provided.  Appropriate sample containers are used.  True  Sample bottles are completely filled.  True  Sample Preservation Verified  True  There is sufficient vol. for all requested analyses, incl. any requested  MS/MSDs  VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  Samples do not require splitting or compositing.  True  Samples received within 48 hours of sampling.  True	Sample containers have legible labels.	True	
Appropriate sample containers are used.  Sample bottles are completely filled.  Sample Preservation Verified  True  There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs  VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  Samples do not require splitting or compositing.  Samples received within 48 hours of sampling.  True  True  Samples received within 48 hours of sampling.	Containers are not broken or leaking.	True	
Sample bottles are completely filled.  Sample Preservation Verified  True  There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs  VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  True  Samples do not require splitting or compositing.  True  Samples received within 48 hours of sampling.  True	Sample collection date/times are provided.	True	
Sample Preservation Verified There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs Multiphasic samples are not present.  Samples do not require splitting or compositing.  True Sampling Company provided.  True Samples received within 48 hours of sampling.  True	Appropriate sample containers are used.	True	
True  MS/MSDs  VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  Samples do not require splitting or compositing.  Samples received within 48 hours of sampling.  True	Sample bottles are completely filled.	True	
MS/MSDs  VOA sample vials do not have headspace or bubble is <6mm (1/4") in N/A  diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  Samples do not require splitting or compositing.  True  Sampling Company provided.  True  Samples received within 48 hours of sampling.  True	Sample Preservation Verified	True	
diameter.  If necessary, staff have been informed of any short hold time or quick TAT needs  Multiphasic samples are not present.  Samples do not require splitting or compositing.  True  Sampling Company provided.  True  Samples received within 48 hours of sampling.  True		True	
needs Multiphasic samples are not present.  Samples do not require splitting or compositing.  Sampling Company provided.  Samples received within 48 hours of sampling.  True		N/A	
Samples do not require splitting or compositing.  Sampling Company provided.  Samples received within 48 hours of sampling.  True  True		True	
Sampling Company provided.  Samples received within 48 hours of sampling.  True	Multiphasic samples are not present.	True	
Samples received within 48 hours of sampling.  True	Samples do not require splitting or compositing.	True	
	Sampling Company provided.	True	
Samples requiring field filtration have been filtered in the field	Samples received within 48 hours of sampling.	True	
Samples requiring field initiation have been intered in the field.	Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked. N/A	Chlorine Residual checked.	N/A	

2

4

6

9

11

12

**TestAmerica** 

# Chain of Custody Record

Phone (781) 466-6900 Fax (781) 466-6901

**TestAmerica Boston** 

240 Bear Hill Rd., Suite 104

Waitham, MA 02451

MSINBD D195012814 penter Mylnsb Special Instructions/Note: M - Hexane N - None O - AsNaO2 P - Na2O4S 114 14 Company De MS/MSD Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)

Return To Client Spisposal By Lab Horive For Month Preservation Codes people prate 19 = COC No. 480-35755-8566,7 480-38147 Chain of Custody · 4402 9 A - HCL
B - NaOH
C - Zn Acetate
D - Nitric Acid
F - NaHSOA Page: Page 1 of € 1200 Archive For 1 1 1 Total Number 7 7 7 T 7 T Jate/Time 8.0 Method of Shipment Analysis Requested Cooler Temperature(s) °C and Other Remarks NOWYKOULA Special Instructions/QC Requirements becky.mason@testamericainc.com \_ -2010MCP - (MOD) 6010 MCP Custom analyte list • Received by --Lab PM Mason, Becky C 2 <u>-</u> --300.0\_28D - (MOD) Local Method -2 2 2 2 Perform MS/MSD (Yes or No) ۲ AMER E-Mail: (W=water, S=solld, O=waste/oll, Preservation Code: Water Water Water Water Matrix Water Water Water Water Water Water Water Company Davie chopman 3743 17:00 G=grab) Due Date Requested: Spenned and (C=comb, Sample Type Stendone 2 Radiological ڻ Ø U Ú U U U U O O 12:20 334-927 5.4.13 (3:50 12:20 9:01 12:20 50:11 5-4-12 12.8 8:3 Sample 8-1-13 Date: TAT Requested (days): Unknown 5.4.13 ガーコース 5-4-13 5.4.13 5-4-13 5-10-13 5-4-18 Sample Date PO#: REWI0020 N. C. Project #: 48006612 # QM Poison B Groundwater Quarterly Event Desc: Groundwater Quarterly (2, 5, 4441 アナナーなるのでのいという 221 Skin Irritant メエグ oc. 64-348R-xxx 6w. 785- xxx OFF-198 OC - CO - 745 - XX + Deliverable Requested: I, II, III, IV, Other (specify) SCOWERS OC - MP - Z part 13 Custody Seal No.: -446-mo-00 10-12-16RR- OC - CW - 34 P -Chapman OC- PUP. GW OC-GW-8886-1388-1264 Flammable Possible Hazard Identification empty Kit Relinquished by: Custody Seals Intact: Client Information Sample Identification mcashwell@olin.com Mr. James Cashwell ٥ Inquished by: Non-Hazard State, Zip: TN, 37310-0248 Olin Corporation Massachusetts O-DUP ON 0-PZ-47RR elinquished by OC CW 786 C GW 798 elinquished by PO BOX 248 DC PZ 24 City: Charleston Stent Contact roject Name: Page 19 of 19

j